

Page : 1 / 5

Revised edition no : 0

Date : 26 / 08 / 2014

Supersedes : 0 / 0 / 0

Liquid Nitrogen (refrigerated)

SDS_089R_CLP



Warning



SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name	: Liquid Nitrogen (refrigerated)
SDS Nr	: SDS_089R_CLP
Chemical description	: Liquid Nitrogen (refrigerated) CAS No :7727-37-9 EC No :231-783-9 Index No :
Registration-No.	: Listed in Annex IV / V REACH, exempted from registration.
Chemical formula	: N2
Use	: Industrial and professional. Perform risk assessment prior to use.
Company identification	: Energas Ltd. Westmorland Street, Hull HU2 0HX, United Kingdom
E-Mail address (competent person) Emergency telephone number	: mark.nugent@energas.co.uk : 01482 329333

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.2. Label elements

2.3. Other hazards

: Asphyxiant in high concentrations.

SECTION 3. Composition/information on ingredients

Substance.					
Substance name		Contents	CAS No EC No Index No Registration no	Classification(DSD)	Classification(CLP)
Nitrogen (refrigerated)	÷	100 %	7727-37-9 231-783-9 * 1	Not classified (DSD)	Press. Gas Refrigerated (H281)



Page : 2 / 5

Revised edition no: 0

Date : 26 / 08 / 2014

Supersedes: 0 / 0 / 0

Liquid Nitrogen (refrigerated)

SDS_089R_CLP

SECTION 3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product. * 1: Listed in Annex IV / V REACH, exempted from registration. * 2: Registration deadline not expired.

Full text of R-phrases see section 16.

SECTION 4. First aid measures

- Inhalation	 In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/ consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.
- Skin/eye contact	 Immediately flush eyes thoroughly with water for at least 15 minutes. In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Obtain medical assistance.
- Ingestion	: Ingestion is not considered a potential route of exposure.

SECTION 5. Firefighting measures

Extinguishing media - Suitable extinguishing media	: All known extinguishants can be used.
Specific hazards	: Exposure to fire may cause containers to rupture/explode.
Hazardous combustion products	: None.
Specific methods	 If possible, stop flow of product. Move away from the container and cool with water from a protected position. If leaking do not spray water onto container. Water surrounding area (from protected position) to contain fire.
Special protective equipment for fire fighters	: In confined space use self-contained breathing apparatus.

SECTION 6. Accidental release measures

Personal precautions	 Evacuate area. Use protective clothing. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Ensure adequate air ventilation.
	 Try to stop release. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
Clean up methods	: Ventilate area.



Page : 3 / 5

Revised edition no : 0 Date : 26 / 08 / 2014

Supersedes : 0 / 0 / 0

Liquid Nitrogen (refrigerated)

SDS_089R_CLP

SECTION 7. Handling and storage

Handling	 Suck back of water into the container must be prevented. Do not allow backfeed into the container. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.
	Refer to supplier's container handling instructions.
Storage	: Keep container below 50°C in a well ventilated place.

SECTION 8. Exposure controls/personal protection

 Personal protection
 : Ensure adequate ventilation.

 Protect eyes, face and skin from liquid splashes.

SECTION 9. Physical and chemical properties

Physical state at 20°C / 101.3kPa	: Gas.
Colour	: Colourless liquid.
Odour	: No odour warning properties.
Melting point [°C]	: -210
Boiling point [°C]	: -196
Critical temperature [°C]	: -147
Vapour pressure [20°C]	: Not applicable.
Relative density, gas (air=1)	: 0.97
Relative density, liquid (water=1)	: 0.8
Solubility in water [mg/l]	: 20
Other data	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.
Molecular weight	: 28

SECTION 10. Stability and reactivity

: None.

: Stable under normal conditions.

SECTION 11. Toxicological information

Toxicity information

: No known toxicological effects from this product.

SECTION 12. Ecological information

Ecological effects information

: Can cause frost damage to vegetation.



Page : 4 / 5

Revised edition no : 0

Date : 26 / 08 / 2014

Supersedes : 0 / 0 / 0

Liquid Nitrogen (refrigerated)

SDS_089R_CLP

SECTION 13. Disposal considerations

General

: Do not discharge into any place where its accumulation could be dangerous. Contact supplier if guidance is required.

SECTION 14. Transport information

UN number Labelling ADR, IMDG, IATA	: 1977
	: 2.2 : Non-flammable, non-toxic gases
Land transport (ADR/RID)	
H.I. nr UN proper shipping name Transport hazard class(es) Classification code Packing group Packing Instruction(s) Tunnel Restriction <u>Sea transport (IMDG)</u> Proper shipping name Class	 22 NITROGEN, REFRIGERATED LIQUID 2 3 A P203 C/E Tank carriage: Passage forbidden through tunnels of category C, D andE;Other carriage: Passage forbidden through tunnels of category E NITROGEN, REFRIGERATED LIQUID 2.2
Emergency Schedule (EmS) - Fire	: F-C
Emergency Schedule (EmS) - Spillage	
Packing instruction Air transport (ICAO-TI / IATA-DGR)	: P203
Proper shipping name (IATA) Class Passenger and Cargo Aircraft Packing instruction - Passenger and Cargo Aircraft Cargo Aircraft only Packing instruction - Cargo Aircraft	 NITROGEN, REFRIGERATED LIQUID 2.2 Allowed. 202 Allowed. 202
only ADR/RID - IMO-IMDG code - ICAO/IATA Other transport information	 Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure that containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Ensure there is adequate ventilation. Compliance with applicable regulations.



Page : 5 / 5

Revised edition no : 0

Date : 26 / 08 / 2014

Supersedes : 0 / 0 / 0

Liquid Nitrogen (refrigerated)

SDS_089R_CLP

SECTION 14. Transport information (continued)

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso directive 96/82/EC

: Not covered.

SECTION 16. Other information

Training advice	 May cause frostbite. Keep container in a well-ventilated place. Do not breathe the gas. Asphyxiant in high concentrations. The hazard of asphyxiation is often overlooked and must be stressed during operator training.
Note	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.
DISCLAIMER OF LIABILITY	: Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted. Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

End of document